Contents and Subject Index

Pflanzenschutz-Nachrichten Bayer

Volume 1978



Contents

Volume 1978

Page

Becker, G.:
Use of ®Bayleton for the control of mildew in winter barley in autumn 145

Brandes, W., Steffens, W., Führ, F., and Scheinpflug, H.:
Further studies on translocation of [^{14}C]triadimefon in cucumber plants 132

Dörntlein, D., and Rota, F.:
Trials with ®Bayleton for the control of powdery mildew of grape vine in Italy 181

Frohberger, P. E.:
®Baytan, a new systemic broad spectrum fungicide especially suitable for cereal seed treatment 11

Führ, F., Paul, V., Steffens, W., and Scheinpflug, H.:
Translocation of [^{14}C]triadimefon in spring barley and its activity against *Erysiphe graminis* var. *hordei* 116

Hammann, Ingeborg, Büchel, K. H., Bungarz, K., and Born, L.:
®Peropal, a new acaricide 61

Jarczyk, H. J.:
Method for gas-chromatographic determination of ®Sencor residues in plant material, soil and water, with an N-specific detector 84

Jordan, V. W. L.:
Epidemiology and control of fruit rot *Botrytis cinerea* on strawberry 1

Kelly, J. R., and Miller, M. A.:
Effectiveness of ®Curaterr against pests of swedes and turnips in the British Isles 258

Kolbe, W.:
Reflections on seed treatments and studies on fungicidal activity and effect on yield of ®Baytan used as a cereal seed dressing 39

Kolbe, W.:
Long-term trials for the control of apple mildew with ®Bayleton 163

Kolbe, W.:
Results of several years' trials work with ®Goltix for weed control in sugar and fodder beet 229

Page

Kolbe, W.:
Studies on aphid control in seed potato crops (1958–1978) with special reference to ®Tamaron and the importance of using fresh seed to produce optimal yields 283

Lembrich, H.:
®Goltix, a highly selective herbicide for sugar and fodder beet 197

Scheinpflug, H., Paul, V., and Kraus, P.:
Studies on the mode of action of ®Bayleton against cereal diseases 101

Schmidt, R. R., Menold, R., and Lüttge, B.:
Effect of additives on distribution, penetration and activity of ®Goltix on *Galium aparine* 242

Trägner-Born, J., and van den Boom, T.:
Results of field trials with ®Baytan, a new systemic cereal seed dressing 25

Wäckers, R. W., van den Berge, C., and Spek, J.:
Experiences with ®Bayleton (triadimefon) for the control of mildew and rusts in cereal and fruit crops in the Netherlands 151

Subject Index 1978

A

Adalia bipunctata 71
Alopecurus myosuroides 213, 221, 222, 225
Amaranthus retroflexus 212, 213, 218, 223
4-Amino-3-methyl-6-phenyl-1,2,4-triazin-5-(4H)-one 197
4-Amino-6-tert.-butyl-3-(methylthio)-1,2,4-triazin-5-(4H)-one 84
Anagallis arvensis 213
®Antracol 168, 175
Apera spica-venti 221, 225
Aphis fabae 284, 288
Aphis frangulae 284
Aphis frangulae gossypii 284, 288
Aphis nasturtii 283–288, 290
Apples, powdery mildew control with Bayleton 163–180
Aspergillus sp. 42
Atrazine 223
Atriplex patula 213
®Avadex 210, 222, 223
Avadex BW 210, 222, 223
Avena fatua 212, 213, 221–223
Azocyclotin 61–66, 69, 70, 81

B

®Bayleton 11, 14, 16, 31, 35, 44, 45, 48–51, 101–115, 116–131, 132–144, 145–150, 151–162, 163–180, 181–193
®Baytan 11–24, 25–38, 39–60, 145
Baytan F 14, 18, 43–45, 48–54, 56
Baytan Universal 14, 43–47, 53, 54, 56
Benodanil 108
Benomyl 3–5, 182
Benzimidazole 4
Benzomate 80
®Betanal 210, 217, 222
®Bidisin forte 222
Binapacryl 168
Botrytis cinerea 1–10
Brassica napus var. *napobrassica* 259
Brassica rapa var. *rapa* 259
Brassica sp. 258–282
Brevipalpus sp. 69
BUE 1452 61

C

Calonectria nivalis (= *Fusarium nivale*) 21
Capsella bursa-pastoris 213, 224, 235
Captan 158
Carassius auratus 68, 199
Carbendazim 4–6, 8
Carboxin 27
Cereal diseases, mode of action of Bayleton against 101–115
Cereals, mildew and rust control with Bayleton on 151–156
Cereal seed dressing Baytan 25–38
Cereal seed treatment, Baytan for 11–24, 39–60
®Ceresan Special 46, 47
Ceuthorrhynchus contractus 260, 273, 278
Ceuthorrhynchus quadridens 264, 266, 273, 274
Chenopodium album 212, 213, 220, 222–224, 233, 235, 238
Chlorfenvinphos 262, 263, 273
Chlorothalonil 4, 5
β-(4-Chlorophenoxy)-α-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol 12
Cochliobolus sativus (= *Helminthosporium sativum*) 14

Colloidal sulphur 182
Copper sulphate 41
Coturnix coturnix japonica 68, 199
®Curaterr 210, 258–282
Cycloate 210
Cyhexatin 69, 70
Cyprinus carpio 68, 199

D

DDT 261
Delia brassicae = *Phorbia brassicae*
Delia floralis = *Phorbia floralis*
Di-allate 210
Dichlofluanid 3–8
Dicofol 69, 70, 80
Digitaria sp. 222
Dimetbenzazol 14, 44
Dinocap 168, 182, 185, 186, 189
®Dipterex 261
®Disyston 285, 286, 292
Drechslera graminea = *Pyrenophora graminea*
Drechslera teres = *Pyrenophora teres*
®Dual 210, 222, 223

E

®E 605 285
E 605 Combi 175, 210
E 605 forte 175, 210, 285
Echinochloa crus-galli 212, 213, 221, 225
Echinochloa sp. 222
®Elvaron 3
Epitrimerus piri 78
Erioischia brassicae = *Phorbia brassicae*
Erioischia floralis = *Phorbia floralis*
Erysiphe graminis 15, 16, 31, 36, 101, 104, 106, 110
Erysiphe graminis f. sp. *hordei* 44, 101, 102, 108, 116–131, 151
Erysiphe graminis f. sp. *tritici* 151
®Euparen 3, 168, 175
Euparen M 151, 157, 158, 161, 168, 175

F

Fenbutatin oxide 69, 70
Fuberidazol 14, 18, 44
Fumaria officinalis 212, 213
Fusarium sp. 14, 25, 43

G

Galeopsis tetrahit 214
Galinsoga parviflora 223
Galinsoga sp. 238
Galium aparine 212, 214, 218, 221, 222, 224, 233, 235, 238, 242–257
Gallus domesticus 68, 199
Gamma HCH 260
®Goltix 197–228, 229–241, 242–257
Goltix, effect of additives on distribution, penetration and activity 242–257
Grapes, powdery mildew control with Bayleton on 181–193
®Gusathion K forte 210
Gusathion MS 175

H

Helminthosporium gramineum = *Pyrenophora graminea*
Helminthosporium sativum = *Cochliobolus sativus*
Helminthosporium teres = *Pyrenophora teres*
Hylemyia brassicae = *Phorbia brassicae*
Hylemyia floralis = *Phorbia floralis*

I

Idus idus 199
®Imugan 145

K

Karathane 158
KWG 0519 11, 20

L

Lamium purpureum 212, 214, 233, 235, 238
Lamium sp. 224
Leptosphaeria nodorum = *Septoria nodorum*
Leuciscus idus 68
Lime sulphur 167
Linaria arvensis 214
Lorryia formosa 80

M

Macrosiphum avenae 284, 288
Macrosiphum euphorbiae 283, 284, 286, 287, 290
Matricaria chamomilla 212, 214, 224
Matricaria inodora 212, 214
Matricaria matricarioides 214
Matricaria sp. 222
MEB 6447 183
Mercurialis annua 212, 214, 217, 218, 221
Mercury 11, 13, 15, 17, 18, 21, 25–27, 42
®Merpelan AZ 221, 222, 224, 231–236, 238
®Mesurol 210
Metamitron 197, 199, 224, 242–257
®Metasystox 285
Metasystox (i) 70, 210
Metasystox R 210, 292
Methyl-thiophanate 182
Metiram 7, 8
Metribuzin 84–97
Morestan 145, 165, 167, 168
Myosotis arvensis 238
Myzus persicae 283–288, 290, 292

O

Omethoate 69, 70, 79
®Orthocid 168, 169, 173–175

P

Panonychus citri 80
Panonychus ulmi 70, 78, 79
Papaver rhoeas 214
PCNB 25, 26
Penicillium sp. 42
®Peropal 61–83, 175, 177
®Persulon 102, 104, 145
Phaseolus vulgaris 70, 72, 73, 76
Phorate 264
Phorbia brassicae (= *Erioischia br.* = *Hylemyia br.* = *Delia br.*) 260–268, 271, 273, 274
Phorbia floralis (= *Erioischia fl.* = *Hylemyia fl.* = *Delia fl.*) 266, 268–272, 274, 280
Phyllocoptruta oleivora 80
Phyllotreta nemorum 260, 278
Phyllotreta sp. 260, 273
Phyllotreta undulata 260
Plutella maculipennis 77
Poa annua 215, 221, 225, 235
Podosphaera leucotricha 163
Polygonum aviculare 215, 218, 233, 235, 238
Polygonum convolvulus 212, 215, 218, 221, 224, 233, 235, 238
Polygonum lapathifolium 215, 218
Polygonum persicaria 215, 218
Polygonum sp. 220, 222
®Pomarsol 165, 168
Psila rosae 270
Puccinia hordei 27, 30, 153
Puccinia recondita 101, 102, 108, 153
Puccinia sp. 15, 27, 36, 101
Puccinia striiformis 27, 28, 30, 153
Puccinia tritici 153
®Pyramin 222
Pyrenophora avenae (= *Drechslera avenae* = *Helminthosporium avenae*) 14, 20, 26, 27, 36
Pyrenophora graminea (= *Drechslera graminea* = *Helminthosporium gramineum*) 14, 21, 25, 27, 36, 46
Pyrenophora sp. 14
Pyrenophora teres (= *Drechslera teres* = *Helminthosporium teres*) 14

R

Raphanus raphanistrum 212, 215, 218, 233
Residue determination, Sencor 84–97
Rhopalosiphum padi 284, 288
Rhynchosporium secalis 14, 21, 27–30, 36
Rhynchosporium sp. 15, 16
®Ro-Neet 210, 222, 223, 233, 234

S

Salmo gairdneri 68, 199
Scardinius erythrophthalmus 68
Seed potato crops, aphid control in 283–297
®Sencor 84–97, 292
Sencor, residue determination 84–97
Senecio vulgaris 215
Septoria nodorum (= *Leptosphaeria nodorum*) 13
Septoria sp. 20
Serinus canarius 68, 199
Setaria sp. 222
Simazine 223
Sinapis arvensis 212, 215, 218
Solanum nigrum 212, 215, 220, 223
Sphaerotheca fuliginea 132–134, 141, 142
Stellaria media 212, 216, 217, 222, 224, 233, 235, 238
Stethorus punctum 71
Strawberry, epidemiology and control of fruit rot 1–10
Sugar and fodder beet, Goltix in 197–228, 229–241
Sulphur 167, 182, 188–190
Sun Oil 11-E 210, 217, 218, 225, 243, 246
Swedes, pest control with Curaterr 258–282
®Systox 70, 285

T

®Tamaron 210, 283–297
Tarsonemus sp. 69
TCA 210, 222, 223
®Temik 210
Tetranychus cinnabarinus 78, 81
Tetranychus kanzawai 81
Tetranychus pacificus 81
Tetranychus tumidus 81
Tetranychus turkestiani 78
Tetranychus urticae 69–81
Thiram 4, 5
Thlaspi arvense 212, 216, 233
Tilletia caries 13, 15, 16, 20, 25, 26, 36, 52
Tilletia controversa 13, 15, 16, 21
Tilletia foetida 13, 16, 20
Tilletia sp. 16
Tolylfluanid 151
Top fruit, control of mildew on 157–161
®Tramat 222
Triadimefon 11, 14, 16, 111, 112, 116–131, 132–144, 151–162, 183
Triadimefon, translocation in cucumber plants 132–144
Triadimefon, translocation in spring barley 116–131
Triadimenol 11, 12, 18, 20, 25, 36, 42, 44
Tri-allate 210
®Tribunil 145
Tri(cyclohexyl)-(1,2,4-triazol-1-yl)tin 67, 81
Tridemorph 108
Turnips, pest control with Curaterr 258–282
Typhula incarnata 14, 21, 27, 30, 31, 36
Thyphula sp. 14–16, 27, 29, 31

U

Uncinula necator 182, 190
®Unden 175
Urocystis agropyri = *U. tritici*

Urocystis occulta 13, 20, 26, 27
Urocystis tritici (= *U. agropyri*) 13, 20
Urtica urens 212, 216, 220
Ustilago avenae 13, 16, 26, 27, 36
Ustilago hordei 13, 20, 26, 27
Ustilago nigra 13
Ustilago nuda 13, 16, 26, 27, 36, 46
Ustilago tritici 13, 16, 26, 27, 36, 51

V

Varietal tolerance of Baytan 54–56
Vasates fockeui 78
Vasates schlechtendali 78
®Venzar 219, 220, 222
Veronica arvensis 216
Veronica hederaefolia 216, 235
Veronica persica 212, 216
Vinclozolin 5, 7, 8
Viola arvensis 216, 233, 235
Viola tricolor 216, 218
®Voronit Special 52

W

Wettable sulphur 145, 165, 167, 175, 182–190
Winter barley, control of mildew with Bayleton 145–150

Y

®Yaltox 258, 274

E. 241 – 810/842 252 Printed in Germany